

alda

keep your kitchen **alive**



2011 Product Catalogue



Alda brings you world-class, top-notch kitchen appliances that will breathe new life into your kitchens and thus into your homes.

Some of the world's best brains have been at work to innovate, design and develop products that, to put it simply, make preparing food as much of a pleasure as eating it! And you can buy them, right here, in India.

Tweaked to Indian requirements, Alda's range of Chimneys, Built-in Hobs, Cooking Ranges and Cooktops promise to bring out the culinary artist in you. They make cooking convenient, hassle-free and safe. Making use of the latest innovations and technological advancement, Alda is in synch with the demands of today's homemaker who wants to prepare a variety of meals, with the minimum of discomfort.

So, bring home Alda today and see your kitchen come alive.



Chimneys



Built-in Hobs



Cooktops



Cooking Range



Induction Cookers



CHA 668

•Stainless steel finish •Baffle filter •Italian motor with TOP •Slider control/Push button control •Flame retardant plastic/PDCA housing •Airflow 890/1000 m³/hr •Size 60/90cms



CHIMNEYS

Now do all you want to without worrying about smell, grime and fumes. State-of-the-art Alda Chimneys keep your kitchen alive only to the tempting aroma of your gourmet cooking. Good looking enough to be the decorative element in your kitchen, they keep your kitchen looking good too! Minimum noise levels, overload protection and made with fire-retardant material, attention to detail is the hallmark of these chimneys.



THERMAL OVERLOAD PROTECTOR

A special protection device that cuts the power supply and prevents motor burnouts due to overheating.



FLAME RETARDANT

Plastic parts, housing and wires all are made up of low smoke, flame retardant material for maximum safety.



PDCA HOUSING FOR NOISE REDUCTION

A powerful motor housed in a pressure die cast aluminium housing for longer life and low noise levels.



BAFFLE FILTER

New design stainless steel baffle filter collects the oil deposits and allows a smooth flow to the exhaust air.



BI-ROTATIONAL TECHNOLOGY

Twin motors rotating in opposite direction create a special low pressure zone, resulting in a much higher airflow.



CHA 652

- Stainless steel finish
- Baffle filter
- Italian motor with TOP
- Push button control
- Flame retardant plastic housing & wires
- Airflow 750 m³/hr
- Size 60/90cms



CHA 658

- Stainless steel finish
- Baffle filter
- Italian motor with TOP
- Push button control
- Flame retardant plastic (Airflow 890 m³/hr)
- PDCA housing (Airflow 1000 m³/hr)
- Airflow 890/1000 m³/hr
- Size 60/90 cms



CHA 652 IS

- Creative island hood with streamline looks
- Baffle filter
- Italian motor with TOP
- Push button control
- PDCA housing
- Airflow 1000 m³/hr
- 4 energy saving LED lamps each 1.5 W
- Size 90 cm



CHA 653 Touch

- A modern new decorative hood
- SS clad cassette filter
- Touch control panel
- Metal housing
- Airflow 890 m³/hr
- 2 energy saving LED lamps each 2 W
- Size 60/90 cm





CHA 671

- Curved streamline looks •Baffle filter •Italian motor with TOP •Push button control
- Flame retardant plastic/PDCA housing •Airflow 890/1250 m³/hr •Size 60/90 cms



CHA 658 SL

- Stainless steel finish
- Baffle filter
- Italian motor with TOP
- Slider control
- Flame retardant plastic housing
- Airflow 750 m³/hr
- Size 60 cms



CHA 661 Touch

- A sleek new decorative glass hood
- Baffle filter
- Italian motor with TOP
- Touch control panel with timer function
- Flame retardant plastic housing
- Airflow 890 m³/hr
- 2 energy saving LED lamps each 2 W
- Size 60/90 cm



CHA 662

- A sleek fusion of steel & glass
- Baffle filter
- Italian motor with TOP
- Push button control
- Flame retardant plastic (Airflow 750 m³/hr)
- PDCA housing (Airflow 1000 m³/hr)
- Airflow 750/1000 m³/hr
- Size 60/90 cms



CHA 667

- Sleek and compact looks
- Baffle filter
- Italian motor with TOP
- Soft touch Push button control with timer
- PDCA housing
- 2 Energy saving LED lamps
- Powerful suction-Airflow 1250 m³/hr
- Size 60/90 cms





CHA 661

- Fusion of glass & steel
- Baffle filter
- Italian motor with TOP
- Push button control
- Flame retardant plastic housing
- Airflow 890 m³/hr
- Size 60/90 cms



CHA 601 PB

- Stainless steel finish
- Baffle filter
- Italian motor with TOP
- Push button control
- Flame retardant plastic housing
- Airflow 700 m³/hr
- Size 60 cms



CHA 601 SL

- Stainless steel finish
- Cassette filter
- Italian motor with TOP
- Slider control
- Flame retardant plastic housing
- Airflow 700 m³/hr
- Size 60 cms



CHA 602 SL

- Stainless steel finish
- Baffle filter
- Low wattage single motor
- Slider control
- Flame retardant plastic housing
- Airflow 750 m³/hr
- Size 60 cms





BHA 164 TR

- Triple Ring burner •Sealed burners designed for slow cooking
- Integrated auto ignition •Hob W x D 580 x 500 mm
- Opening W1 x D1 555 x 476 mm

BUILT-IN HOB S

Stop staring enviously at that kitchen you see in the latest issue of your favourite foreign magazine. Alda Built-in Hobs are here. Choose from steel or glass and an array of shapes and sizes to cater to your particular preferences and requirements. Go beyond the neat looks and you'll appreciate the special features like sturdy pan support, precision control knobs and a specially designed burner for slow cooking.



STURDY PAN SUPPORTS

Strong and sturdy 4 mm thick pan supports easily accommodate heavy vessels.



FLAME FAILURE DEVICE

No flame, no gas. The gas supply is automatically cut off in case of flame failure due to liquid spillage.



ITALIAN GAS VALVES

High precision Italian gas valves for perfect flame control. Now no more gas leakages and no more sim-off.



TOUGHENED GLASS

Single piece, easy to clean, black toughened glass resistant to scratching, staining, impact and heat.



BHA 173 TR

- Triple Ring burner
- Sealed burners designed for slow cooking
- Integrated auto ignition
- Hob W x D 730 x 420 mm
- Opening W1 x D1 685 x 386 mm



BHA 174 TR

- Maximum cooking space
- Triple Ring burner
- Sealed burners designed for slow cooking
- Integrated auto ignition
- Hob W x D 700 x 510 mm
- Opening W1 x D1 655 x 476 mm



BHA 163 TR

- Maximum cooking space
- Triple Ring burner
- Sealed burners designed for slow cooking
- Integrated auto ignition
- Hob W x D 600 x 510 mm
- Opening W1 x D1 555 x 476 mm



BHA 160 TR

- Triple Ring burner
- Ergonomic precision control knobs
- Sealed burners designed for slow cooking
- Integrated auto ignition
- Hob W x D 655 x 580 mm
- Opening W1 x D1 543 x 468 mm



BHA 191 TR

- Maximum cooking space
- Triple Ring burner
- Sealed burners designed for slow cooking
- Integrated auto ignition
- Hob W x D 930 x 560 mm
- Opening W1 x D1 830 x 480 mm



CTA 142

GLASS COOKTOPS

The staid Cooktop just got transformed into a sleek, black beauty: Alda's Glass Cooktops ! With toughened glass that is heat, scratch, stain and impact resistant, here is something that combines the international look with India's preferred option of gas burners. Extra strong pan supports, long-life alloy burners, auto ignition, rounded edges and wipe-to-a-shine glass make this an attractive and practical choice.



TOUGHENED GLASS

Single piece, easy to clean, black toughened glass resistant to scratching, staining, impact and heat.



STURDY PAN SUPPORTS

Strong and sturdy 4 mm thick pan supports easily accommodate heavy vessels.



CTA 122

- Toughened glass top
- 4 mm thick extra strong pan supports
- Aluminium alloy burners
- Battery operated auto ignition option



CTA 142

- Toughened glass top
- 4 mm thick extra strong pan supports
- Aluminium alloy burners
- Battery operated auto ignition option



CTA 132

- Toughened glass top
- 4 mm thick extra strong pan supports
- Aluminium alloy burners
- Battery operated auto ignition option





CTA 132 Mirror

- Toughened mirror finish glass top
- 4 mm thick extra strong pan supports
- Aluminium alloy burners
- Battery operated auto ignition option



CTA 146

- Soft looks toughened glass top with rounded corner
- 4 mm thick extra strong pan supports
- Aluminium alloy burners
- Battery operated auto ignition option



CTA 136

- Soft looks toughened glass top with rounded corner
- 4 mm thick extra strong pan supports
- Aluminium alloy burners
- Battery operated auto ignition option



CTA 133

- Toughened glass top
- Sturdy strong pan supports
- Maximum cooking space
- Fuel efficient brass burners



CTA 148

- Curved looks toughened glass top
- Maximum cooking space
- 4 mm thick extra strong pan supports
- Aluminium alloy burners
- Battery operated auto ignition option

COOKTOPS

Sleek efficiency is what you get in Alda's Cooktops. Conventional shape or smooth rounded; 2, 3 or 4 burners...whatever you choose, you can be sure it's fuel efficient, easy to clean and high on safety. Ultra slim yet ultra spacious, these are intelligently created cooktops for the woman who wants it all: looks, utility and durability.



CTA 123

- Stainless steel finish
- Conventional sturdy looks
- Sturdy strong pan supports
- SS drip tray
- Fuel efficient brass burners



CTA 120

- Stainless steel finish
 - Conventional sturdy looks
 - Sturdy strong pan supports
 - SS drip tray
 - Aluminium alloy burners
- Also available in brass burners in ISI model.



CTA 144 HF

- 4 mm thick extra strong pan supports
- High flame burner for faster cooking
- SS drip tray
- Fuel efficient brass burners
- Battery operated auto ignition option



CTA 126

- Soft looks
- Single piece deep drawn body
- 4 mm thick extra strong pan supports
- SS drip tray
- Fuel efficient brass burners



CTA 147 HF

- 70 cm wide, maximum cooking space
- 4 mm thick extra strong pan supports
- High Flame burner for faster cooking
- Fuel efficient brass burners
- Battery operated auto ignition option



CTA 127

- Maximum cooking space
- Single piece deep drawn body
- 4 mm thick extra strong pan supports
- Fuel efficient brass burners



CTA 133 HF

- Maximum cooking space
- 4 mm thick extra strong pan supports
- SS drip tray
- Aluminium alloy burners
- Battery operated auto ignition option



CTA 137 HF

- Maximum cooking space
- 4 mm thick extra strong pan supports
- SS drip tray
- Fuel efficient brass burners
- Battery operated auto ignition option



CTA 144 AL

- 4 mm thick extra strong pan supports
- SS drip tray
- Aluminium alloy burners
- Battery operated auto ignition option





COOKING RANGES

Give vent to the creative urge that wants to try out international cuisine and Indian khaana with the same panache. The Alda Cooking Range is your inspiration. These smart black and stainless steel beauties are convenient to bake or broil, grill or simmer, dum pukth or pressure cook...with toughened glass, auto ignition, single knob operation and a host of other options to suit your fancy.



CRA 211 SSTR

- Front - Black glass •Top lid- Toughened glass
 - 1 Triple Ring & 3 Aluminum alloy burners
 - Italian thermostat for single knob operation
 - Spill tray - SS
 - Grill gas, Oven gas
 - Battery operated auto ignition option
- also available with MS lid (CRA 211)


INDUCTION COOKER

Upgrade to the ultimate: a device that combines the best of both gas and electricity. Induction Cooking gives the powerful, precise heat control of gas, moving between high and low temperatures at the touch of a button. Yet, it has the looks as well as safety and convenience of electric cooktops. In Induction Cooking heat is supplied directly to the cooking vessel, the cooker itself stays cool. That, and the absence of open flames, result in a safer, cooler kitchen. The very stylish Glen Induction Cooker is a cook's delight, with a digital display panel, a 240-minute timer and an auto-cut-off facility. The easy-to-clean scratch and stain resistant ceramic plate ensures a piece that will look good for years to come.



SAA 371

- New horizontal shape
- Pre-set indian cooking function
- Scratch & stain resistant ceramic plate
- Digital display •2000 W
- 240 minute timer, Auto cut off
- 60° to 280°C temperature settings



SAA 370

- Scratch & stain resistant ceramic plate
- Pre-set cooking function
- Digital display •2000 W
- 240 minute timer, Auto cut off
- 60° to 280°C temperature settings

Technical Specifications*

Chimneys

Model (CHA)	601 SL	601 PB	602 SL	652	652 IS	653Touch	658			661	661Touch	662		667		668		671	
Airflow (m ³ /hr)	700	700	750	750	1000	890	750	890	1000	890	890	750	1000	1250	890	1000	890	1250	
Motor Power (W)	130x2	145x2	145	145	260	170	145	145	260	155	155	145	260	380	145	260	155	380	
Light (W)	40x2	40x2	40x2	40x2	1.5x4	2x2	40x2	40x2	40x2	40x2	1.5x2	40x2	40x2	1.5x2	40x2	40x2	40x2	40x2	
Housing	Plastic	FRP	FRP	FRP	PDCA	Metal	FRP	FRP	PDCA	FRP	FRP	FRP	PDCA	PDCA	FRP	PDCA	FRP	PDCA	
Static Pressure (Pa)	370	375	375	375	470	430	375	375	470	430	430	375	470	500	375	470	430	500	
Speeds	3	3	3	3	3	3	3			3	3	3		3	3		3		
Control	SL	PB	SL	PB	PB	Touch	SL	PB	PB	PB	Touch	PB	PB	SL	PB	PB			
Filter	CF	BF	BF	BF	BF	CF	BF	BF	BF	BF	BF	BF	BF	BF	BF	BF	BF	BF	
Size (cms)	60	60	60	60/90	90	60/90	60	60/90	60/90	60/90	60/90	60/90	60/90	60/90	60/90	60/90	60/90		

BF - Baffle Filter, CF - Cassette Filter, FRP - Flame Retardant Plastic, PDCA - Pressure Die Cast Aluminium, PB - Push Button Control, SL - Slider Control, 40 W - Incandescent Lamp, 1.5 W - LED Lamp, Carbon filter optional.

Built-in Hobs

Model (BHA)	160 TR	163 TR Glass	164 TR Glass	173 TR Glass	174 TR Glass	191 TR
No. of Burners	4	3	4	3	4	5
Auxiliary Burner	1	1	1	1		1
Semi-Rapid Burner	2		2		2	2
Rapid Burner		1		1	1	1
Triple Ring Burner	1	1	1	1	1	1
Flame Failure Device	■					
Auto Ignition	◆	◆	◆	◆	◆	◆
Hob W x D (mm)	590 x 500	560 x 500	580 x 500	700 x 410	700 x 510	865 x 510
Opening W1 x D1 (mm)	565 x 480	543 x 468	555 x 476	685 x 386	655 x 476	830 x 480

■ Optional ◆ Integrated auto-ignition

Stainless Steel Cooktops

Model (CTA)	120	123	126	127	133 HF	137 HF	144 HF	144	147 HF
Small Burner	1	1	1	1	1	1	2	2	2
Big Burner	1	1	1	1	1	1	1	2	1
Triple Ring Burner									
High Flame Burner				1	1	1	1		1
Gas Cons (g/hr)	320	320	320	320	542	542	685	640	685
Auto Ignition				●	●	●	●	●	●
Appx. Gross Wt. (kg.)	7	7	7	6	9	9	9	9	9
Dimensions									
Width (mm)	650	650	665	650	720	720	590	590	700
Depth (mm)	350	350	400	415	455	465	656	565	580
Height (mm)	150	150	120	110	130	110	110	112	110

● Auto Ignition Option

Glass Cooktops

Model (CTA)	122	132	132 Mirror	133	136	142	146	148
Small Burner	1	2	2	2	2	2	2	2
Big Burner	1	1	1	1	1	2	2	2
Gas Cons (g/hr)	320	497	497	497	497	640	640	640
Auto Ignition	●	●	●	●	●	●	●	●
Gross Wt (kg.)	8	8.5	8.5	8.5	8.5	10.5	11.5	11.5
Dimensions								
Width (mm)	660	725	726	726	726	600	610	700
Depth (mm)	330	435	435	320	376	500	500	500
Height (mm)	115	115	115	115	115	115	115	115

● Auto Ignition Option

Cooking Ranges

Model (CRA)	211 SSTR
Alloy Burners	3
Triple Ring Burner	1
Spill Tray	SS
Grill Gas (g/h)	234
Oven (g/h)	295
Rotisserie	■
Gas Cons (g/h)	1246
Finish	SS
Capacity (Vol-Lts)	Grill 34.45 lts.
Dimensions (mm)	515 x 600 x 895

■ Optional

*Specifications are subject to change without prior notice due to continuous development.

Note: The pictorial representation / brief description / specifications may not be identical to actual product due to continuous development. Specifications are subject to change without prior notice. This document is generated for information purpose only.



ALDA
keep your kitchen alive

I-34, DLF Industrial Area, Phase I, Faridabad Tel.: 0129-2254191, Fax: 0129-2274344
Email: info@aldaindia.com Website: www.aldaindia.com